

IN THE CLAIMS:

A status of all the claims of the present Application is presented below:

1. **(Previously presented)** A method for reducing inter-symbol interference by manipulating a plurality of correlithm objects, comprising:

establishing a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension;

imposing the plurality correlithm objects on the space to yield a combined point;

comparing an imposed correlithm object to the combined point; and

recovering the imposed correlithm object in accordance with the comparison to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

2. **(Original)** The method of Claim 1, further comprising randomly generating the plurality of correlithm objects.

3. **(Original)** The method of Claim 1, wherein imposing the plurality correlithm objects on the space to yield the combined point further comprises performing an imposing operation on the plurality of correlithm objects.

4. **(Original)** The method of Claim 1, wherein comparing the imposed correlithm object to the combined point further comprises performing a recovery operation on the imposed correlithm object and the combined point.

5. **(Original)** The method of Claim 1, further comprising:

establishing one or more agents, each agent associated with a state space; and

assigning one or more of the plurality of correlithm objects to each agent, the one or more correlithm objects representing a state of the agent to which the one or more correlithm objects are assigned.

6. **(Original)** The method of Claim 1, wherein the plurality of correlithm objects are nearly orthogonal.

7. **(Original)** The method of Claim 1, further comprising utilizing a correlithm object of the plurality of correlithm objects as a correlithm object token.

8. **(Original)** The method of Claim 1, wherein imposing the plurality correlithm objects on the space to yield the combined point further comprises performing computation using the plurality of correlithm objects.

9. **(Original)** The method of Claim 1, wherein imposing the plurality correlithm objects on the space to yield the combined point further comprises storing the plurality of correlithm objects.

10. **(Original)** The method of Claim 1, wherein imposing the plurality correlithm objects on the space to yield the combined point further comprises communicating the plurality of correlithm objects.

11. **(Previously presented)** A system for reducing inter-symbol interference by manipulating a plurality of correlithm objects, comprising:

an overlap generator operable to:

establish a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension;

impose the plurality correlithm objects on the space to yield a combined point;
and

convert the number of bits to form at least one correlithm object configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of a shared resource; and

a recoverer coupled to the overlap generator and operable to:

compare an imposed correlithm object to the combined point; and

recover the imposed correlithm object in accordance with the comparison to impose the at least one correlithm object token in the shared resource

12. **(Original)** The system of Claim 11, further comprising a processor coupled to the overlap generator and operable to randomly generate the plurality of correlithm objects.

13. **(Original)** The system of Claim 11, the overlap generator and operable to impose the plurality correlithm objects on the space to yield the combined point by performing an imposing operation on the plurality of correlithm objects.

14. **(Original)** The system of Claim 11, the recoverer operable to compare the imposed correlithm object to the combined point by performing a recovery operation on the imposed correlithm object and the combined point.

15. **(Original)** The system of Claim 11, further comprising a processor coupled to the overlap generator and operable to:

establish one or more agents, each agent associated with a state space; and
assign one or more of the plurality of correlithm objects to each agent, the one or more correlithm objects representing a state of the agent to which the one or more correlithm objects are assigned.

16. **(Original)** The system of Claim 11, wherein the plurality of correlithm objects are nearly orthogonal.

17. **(Original)** The system of Claim 11, further comprising a processor coupled to the overlap generator and operable to utilize a correlithm object of the plurality of correlithm objects as a correlithm object token.

18. **(Original)** The system of Claim 11, the overlap generator and operable to impose the plurality correlithm objects on the space to yield the combined point by performing computation using the plurality of correlithm objects.

19. **(Original)** The system of Claim 11, the overlap generator and operable to impose the plurality correlithm objects on the space to yield the combined point by storing the plurality of correlithm objects.

20. **(Original)** The system .of Claim 11, the overlap generator and operable to impose the plurality correlithm objects on the space to yield the combined point by communicating the plurality of correlithm objects.

21. **(Previously presented)** Logic for reducing inter-symbol interference by manipulating a plurality of correlithm objects, the logic embodied in a medium and operable to:

establish a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension;

impose the plurality correlithm objects on the space to yield a combined point;

compare an imposed correlithm object to the combined point; and

recover the imposed correlithm object in accordance with the comparison to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

22. **(Original)** The logic of Claim 21, further operable to randomly generate the plurality of correlithm objects.

23. **(Original)** The logic of Claim 21, operable to impose the plurality correlithm objects on the space to yield the combined point by performing an imposing operation on the plurality of correlithm objects.

24. **(Original)** The logic of Claim 21, operable to compare the imposed correlithm object to the combined point by performing a recovery operation on the imposed correlithm object and the combined point.

25. **(Original)** The logic of Claim 21, further operable to:
establish one or more agents, each agent associated with a state space; and
assign one or more of the plurality of correlithm objects to each agent, the one or more correlithm objects representing a state of the agent to which the one or more correlithm objects are assigned.

26. **(Original)** The logic of Claim 21, wherein the plurality of correlithm objects are nearly orthogonal.

27. **(Original)** The logic of Claim 21, further operable to utilize a correlithm object of the plurality of correlithm objects as a correlithm object token.

28. **(Original)** The logic of Claim 21, operable to impose the plurality correlithm objects on the space to yield the combined point by performing computation using the plurality of correlithm objects.

29. **(Original)** The logic of Claim 21, operable to impose the plurality correlithm objects on the space to yield the combined point by storing the plurality of correlithm objects.

30. **(Original)** The logic of Claim 21, operable to impose the plurality correlithm objects on the space to yield the combined point by communicating the plurality of correlithm objects.

31. **(Previously presented)** A system for reducing inter-symbol interference by manipulating a plurality of correlithm objects, comprising:

means for establishing a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension;

means for imposing the plurality correlithm objects on the space to yield a combined point;

means for comparing an imposed correlithm object to the combined point; and

means for recovering the imposed correlithm object in accordance with the comparison to impose at least one correlithm object token in a shared resource, the at least one correlithm

object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

32. (Previously presented) A method for reducing inter-symbol interference by manipulating a plurality of correlithm objects, comprising:

- establishing a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension, the plurality of correlithm objects being randomly generated, the plurality of correlithm objects being nearly orthogonal, a correlithm object of the plurality of correlithm objects being utilized as a correlithm object token formed from a conversion of the number of bits;

- imposing the plurality correlithm objects on the space to yield a combined point by performing an imposing operation on the plurality of correlithm objects, the plurality correlithm objects imposed to perform at least one of: performing computation using the plurality of correlithm objects, communicating the plurality of correlithm objects, and storing the plurality of correlithm objects;

- comparing an imposed correlithm object to the combined point by performing a recovery operation on the imposed correlithm object and the combined point;

 - recovering the imposed correlithm object in accordance with the comparison;

 - establishing one or more associated with a state space; and

- assigning one or more of the plurality of correlithm objects to each agent, the one or more correlithm objects representing a state of the agent to which the one or more correlithm objects are assigned to impose the correlithm object token in a shared resource, the correlithm object token configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

33. (Previously presented) A method for generating tokens used to reduce inter-symbol interference, comprising:

- randomly generating a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension; and

selecting one or more of the plurality of correlithm objects as one or more correlithm object tokens, the one or more correlithm object tokens being nearly orthogonal to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

34. **(Original)** The method of Claim 33, wherein randomly generating the plurality of correlithm objects of the space further comprises generating a random correlithm object by randomly selecting one or more values for one or more entries of the random correlithm object.

35. **(Original)** The method of Claim 33, further comprising:
selecting a correlithm object of the plurality of correlithm objects;
generating a token complement of the selected correlithm object; and
using the token complement as a correlithm object token.

36. **(Original)** The method of Claim 33, wherein selecting the one or more of the plurality of correlithm objects as the one or more correlithm object tokens further comprises:

establishing a distance threshold associated with a standard metric of the plurality of correlithm objects; and

selecting the one or more correlithm objects that satisfy the distance threshold as the one or more correlithm object tokens.

37. **(Previously presented)** A system for generating tokens used to reduce inter-symbol interference, comprising:

a memory operable to store information; and
a processor coupled to the memory and operable to:

randomly generate a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension; and

select one or more of the plurality of correlithm objects as one or more correlithm object tokens, the one or more correlithm object tokens being nearly orthogonal to impose at least one

correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

38. **(Original)** The system of Claim 37, the processor operable to randomly generate the plurality of correlithm objects of the space by generating a random correlithm object by randomly selecting one or more values for one or more entries of the random correlithm object.

39. **(Original)** The system of Claim 37, the processor further operable to:
select a correlithm object of the plurality of correlithm objects;
generate a token complement of the selected correlithm object; and
use the token complement as a correlithm object token.

40. **(Original)** The system of Claim 37, the processor further operable to select the one or more of the plurality of correlithm objects as the one or more correlithm object tokens by :
establishing a distance threshold associated with a standard metric of the plurality of correlithm objects; and
selecting the one or more correlithm objects that satisfy the distance threshold as the one or more correlithm object tokens.

41. **(Previously presented)** Logic for generating tokens used to reduce inter-symbol interference, the logic embodied in a medium and operable to:
randomly generate a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension; and
select one or more of the plurality of correlithm objects as one or more correlithm object tokens, the one or more correlithm object tokens being nearly orthogonal to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

42. **(Original)** The logic of Claim 41, operable to randomly generate the plurality of correlithm objects of the space by generating a random correlithm object by randomly selecting one or more values for one or more entries of the random correlithm object.

43. **(Original)** The logic of Claim 41, further operable to:
select a correlithm object of the plurality of correlithm objects;
generate a token complement of the selected correlithm object; and
use the token complement as a correlithm object token.

44. **(Original)** The logic of Claim 41, operable to select the one or more of the plurality of correlithm objects as the one or more correlithm object tokens by:
establishing a distance threshold associated with a standard metric of the plurality of correlithm objects; and
selecting the one or more correlithm objects that satisfy the distance threshold as the one or more correlithm object tokens.

45. **(Previously presented)** A system for generating tokens used to reduce inter-symbol interference, comprising:

means for randomly generating a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension; and

means for selecting one or more of the plurality of correlithm objects as one or more correlithm object tokens, the one or more correlithm object tokens being nearly orthogonal to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource.

46. **(Previously presented)** A method for generating tokens used to reduce inter-symbol interference, comprising:

randomly generating a plurality of correlithm objects of a space, the space comprising an N-dimensional space, a correlithm object comprising a point of the space and having a number of bits per dimension, the plurality of correlithm objects generated by randomly selecting one or more values for one or more entries of the random correlithm object;

selecting one or more of the plurality of correlithm objects as one or more correlithm object tokens, the one or more correlithm object tokens being nearly orthogonal, the one or more of the plurality of correlithm objects selected by:

establishing a distance threshold associated with a standard metric of the plurality of correlithm objects; and

selecting the one or more correlithm objects that satisfy the distance threshold as the one or more correlithm object tokens;

selecting a correlithm object of the plurality of correlithm objects;

generating a token complement of the selected correlithm object to impose at least one correlithm object token in a shared resource, the at least one correlithm object token formed from a conversion of the number of bits and configured to reduce the inter-symbol interference between simultaneous agents during concurrent use of the shared resource; and

using the token complement as a correlithm object token.

47. **(Previously presented)** The method of Claim 1, wherein the shared resource comprises a memory system.

48. **(Previously presented)** The system of Claim 11, wherein the shared resource comprises a memory system.

49. **(Previously presented)** The logic of Claim 21, wherein the shared resource comprises a memory system.

50. **(Previously presented)** The system of Claim 31, wherein the shared resource comprises a memory system.

51. **(Previously presented)** The method of Claim 32, wherein the shared resource comprises a memory system.

52. **(Previously presented)** The method of Claim 33, wherein the shared resource comprises a memory system.

53. **(Previously presented)** The system of Claim 37, wherein the shared resource comprises a memory system.

54. **(Previously presented)** The logic of Claim 41, wherein the shared resource comprises a memory system.

55. **(Previously presented)** The system of Claim 45, wherein the shared resource comprises a memory system.

56. **(Previously presented)** The method of Claim 46, wherein the shared resource comprises a memory system.